

SeisSense™ 5D

Seismic Intelligence in 5 Dimensions

**AI-Driven Seismic Intelligence
Platform**

SeisSense™ 5D

Seismic Intelligence in 5 Dimensions

AI-Driven Seismic Intelligence Platform

What is SeisSense™ 5D ?

- AI-powered seismic interpretation and reservoir characterization platform.
- Provides 5D seismic interpolation, fault detection, lithology prediction, and reservoir simulation.
- Designed for oil & gas exploration, geophysical studies, and production optimization.

Revolutionizing Seismic Data Analysis with AI

- **SeisSense™ 5D** is an advanced **AI-driven seismic intelligence platform** designed to process, analyze, and interpret seismic data efficiently.
- **Key Capabilities:**
 - 5D Seismic Interpolation for missing data reconstruction.
 - AI-Powered Fault Detection & Classification.
 - Reservoir Characterization & Lithology Prediction.
 - Seismic Super-Resolution & Inversion.
 - Multi-Well Correlation & AI-Driven QC.
- **Designed for:** Oil & Gas operators, geophysicists, energy companies, and research institutions.
- **Outcome:** Faster, smarter, and more accurate seismic interpretation, reducing operational risks and exploration costs.

Key Capabilities of SeisSense™ 5D



Seismic Data
Processing & AI-
Driven Analytics



5D Seismic
Interpolation &
Reconstruction



Fault Detection &
Structural
Interpretation



Lithology & Facies
Classification



Reservoir Simulation
& Production
Forecasting



Seismic Inversion &
Attribute Analysis



3D Visualization & AI-
Driven Insights

The Need for AI in Seismic Interpretation

Challenges in Traditional Seismic Processing

- Data gaps due to incomplete acquisition.
- Manual fault picking is time-consuming.
- Difficulty in detecting subtle geological features.
- Complex reservoir characterization requiring high computational power.




How AI Solves These Challenges

- Automated fault detection & classification.
- AI-based reservoir property prediction.
- Deep learning for enhanced seismic resolution.
- Rapid, high-accuracy seismic-to-well correlation.

SeisSense™ 5D

Workflow Overview



SeisSense™ 5D Navigation:

- ☒ Data Input
- ☐ 5D Interpolation
- ☐ Fault Detection
- ☐ Salt Segmentation
- ☐ Reservoir Prediction
- ☐ Denoising
- ☐ Super-Resolution
- ☐ Visualization
- ☐ Fault Classification
- ☐ Lithology Prediction
- ☐ Velocity Model Estimation
- ☐ Anisotropy Analysis
- ☐ 4D Seismic Time-Lapse Analysis
- ☐ Seismic Inversion
- ☐ Seismic Attribute Analysis
- ☐ Seismic Facies Classification
- ☐ Well Tie & Synthetic Seismogram
- ☐ Seismic Geobody Detection
- ☐ Seismic Well Correlation & Multi-Well Analysis
- ☐ Seismic Reservoir Simulation

SeisSense™ 5D - Seismic Intelligence in 5 Dimensions

Data Upload & Inspection

Upload SEG-Y



Drag and drop file here
Limit 200MB per file • SGY, SEG-Y

Browse files




F3_Similarity_FEF_subvolume_IL230-430_XL475-675_T1600-1800.sgy 11.8MB



Loaded cube: (191, 146, 51)

Initial Seismic Slice



5D Seismic Interpolation

- Purpose: Reconstruct missing seismic data and improve resolution.
- AI Models Used: Fourier Transform, Tensor Completion, Deep Prior Learning.
- Impact: Reduces the need for costly re-surveys and enhances imaging clarity.

Example:

- Seismic dataset with missing traces reconstructed using AI-based Fourier Interpolation.
- Benefits: ✓ Enhances subsurface clarity. ✓ Provides accurate imaging of geological structures.

SeisSense™ 5D Navigation:

- ☐ Data Input
- ☒ 5D Interpolation
- ☐ Fault Detection
- ☐ Salt Segmentation
- ☐ Reservoir Prediction
- ☐ Denoising
- ☐ Super-Resolution
- ☐ Visualization
- ☐ Fault Classification
- ☐ Lithology Prediction
- ☐ Velocity Model Estimation
- ☐ Anisotropy Analysis
- ☐ 4D Seismic Time-Lapse Analysis
- ☐ Seismic Inversion
- ☐ Seismic Attribute Analysis
- ☐ Seismic Facies Classification
- ☐ Well Tie & Synthetic Seismogram
- ☐ Seismic Geobody Detection
- ☐ Seismic Well Correlation & Multi-Well Analysis
- ☐ Seismic Reservoir Simulation

SeisSense™ 5D - Seismic Intelligence in 5 Dimensions

5D Seismic Data Reconstruction

Interpolation Parameters

Algorithm

- ☒ Fourier Reconstruction
- ☐ Tensor Completion
- ☐ Deep Prior

Offset Bins



Azimuth Bins





Reconstruct 5D Volume

5D Reconstruction Complete!

5D Cube Metadata

Shape: (191, 146, 51, 10, 8)

Offset/Azimuth Distribution



Fault Detection & Classification

- Purpose: AI-based automatic fault interpretation.
- AI Models Used: CNN-based classifiers for detecting fault planes.
- Impact: Reduces manual fault-picking time from weeks to hours.

Example:

- AI model detecting normal and reverse faults in deep-sea seismic data.
- Benefits: ✓ Automated fault detection improves structural interpretation. ✓ Enhances risk assessment for well drilling.

SeisSense™ 5D Navigation:

- ☐ Data Input
- ☐ 5D Interpolation
- ☒ Fault Detection
- ☐ Salt Segmentation
- ☐ Reservoir Prediction
- ☐ Denoising
- ☐ Super-Resolution
- ☐ Visualization
- ☐ Fault Classification
- ☐ Lithology Prediction
- ☐ Velocity Model Estimation
- ☐ Anisotropy Analysis
- ☐ 4D Seismic Time-Lapse Analysis
- ☐ Seismic Inversion
- ☐ Seismic Attribute Analysis
- ☐ Seismic Facies Classification
- ☐ Well Tie & Synthetic Seismogram
- ☐ Seismic Geobody Detection
- ☐ Seismic Well Correlation & Multi-Well Analysis
- ☐ Seismic Reservoir Simulation

SeisSense™ 5D - Seismic Intelligence in 5 Dimensions

AI-Powered Fault Detection

Model Parameters

Fault Confidence



Inference Stride





Detect Faults

Fault detection complete!

Fault Probability Volume

Slice



Lithology Prediction & Facies Analysis


- Purpose: AI-powered lithology classification using seismic attributes.
- AI Models Used: Supervised learning classifiers, Decision Trees, Random Forest.
- Impact: Improves reservoir facies identification and stratigraphic interpretation.

Example:

- Differentiating sandstone, shale, and carbonate facies using AI-driven clustering.
- Benefits: ✓ Enhances depositional environment analysis. ✓ Reduces exploration risk.

SeisSense™ 5D Navigation:

- ☐ Data Input
- ☐ 5D Interpolation
- ☐ Fault Detection
- ☐ Salt Segmentation
- ☐ Reservoir Prediction
- ☐ Denoising
- ☐ Super-Resolution
- ☐ Visualization
- ☐ Fault Classification
- ☐ Lithology Prediction
- ☐ Velocity Model Estimation
- ☐ Anisotropy Analysis
- ☐ 4D Seismic Time-Lapse Analysis
- ☐ Seismic Inversion
- ☐ Seismic Attribute Analysis
- ☒ Seismic Facies Classification
- ☐ Well Tie & Synthetic Seismogram
- ☐ Seismic Geobody Detection
- ☐ Seismic Well Correlation & Multi-Well Analysis
- ☐ Seismic Reservoir Simulation




AI-Powered Seismic Reservoir Simulation

- Purpose: Predict fluid flow, pressure distribution, and hydrocarbon recovery.
- AI Models Used: Proxy models trained on full-physics reservoir simulations.
- Impact: Optimizes enhanced oil recovery (EOR) techniques and field development strategies.

Example:

- AI-based prediction of production decline over 10 years in a sandstone reservoir.
- Benefits: ✓ Supports data-driven decision-making. ✓ Improves production forecasting accuracy.




SeisSense™ 5D - Seismic Intelligence in 5 Dimensions

AI-Powered Seismic Reservoir Simulation & Production Forecasting

Reservoir Simulation Parameters



Oil Production Forecast



Advanced Visualization & 3D Analysis

- Purpose: 3D volume rendering, attribute cross-plotting, and interactive time-lapse analysis.
- Tools Used: PyVista, Plotly, Streamlit interactive rendering.
- Impact: Enhances seismic interpretation through high-resolution visuals.

Example:

- 3D rendering of a salt dome using seismic amplitude attributes.
- Benefits: ✓ Provides an intuitive understanding of subsurface geology. ✓ Enables cross-domain collaboration between geologists & engineers.


SeisSense™ 5D Navigation:

- ☐ Data Input
- ☐ 5D Interpolation
- ☐ Fault Detection
- ☐ Salt Segmentation
- ☐ Reservoir Prediction
- ☐ Denoising
- ☐ Super-Resolution
- ☐ Visualization
- ☐ Fault Classification
- ☐ Lithology Prediction
- ☐ Velocity Model Estimation
- ☐ Anisotropy Analysis
- ☐ 4D Seismic Time-Lapse Analysis
- ☒ Seismic Inversion
- ☐ Seismic Attribute Analysis
- ☐ Seismic Facies Classification
- ☐ Well Tie & Synthetic Seismogram
- ☐ Seismic Geobody Detection
- ☐ Seismic Well Correlation & Multi-Well Analysis
- ☐ Seismic Reservoir Simulation

SeisSense™ 5D - Seismic Intelligence in 5 Dimensions

AI-Powered Seismic Attribute Analysis

Select Depth Slice for Attribute Analysis




Select Seismic Attribute to Compute

Amplitude

Compute Seismic Attribute

Amplitude at Depth 25




SeisSense™ 5D Navigation:

- ☐ Data Input
- ☐ 5D Interpolation
- ☐ Fault Detection
- ☐ Salt Segmentation
- ☐ Reservoir Prediction
- ☐ Denoising
- ☐ Super-Resolution
- ☐ Visualization
- ☒ Fault Classification
- ☐ Lithology Prediction
- ☐ Velocity Model Estimation
- ☐ Anisotropy Analysis
- ☐ 4D Seismic Time-Lapse Analysis
- ☐ Seismic Inversion
- ☐ Seismic Attribute Analysis
- ☐ Seismic Facies Classification
- ☐ Well Tie & Synthetic Seismogram
- ☐ Seismic Geobody Detection
- ☐ Seismic Well Correlation & Multi-Well Analysis
- ☐ Seismic Reservoir Simulation

SeisSense™ 5D - Seismic Intelligence in 5 Dimensions

AI-Based Fault Classification

Select Depth Slice




Classify Fault Type

Fault Type: Reverse Fault

 Confidence: 86.0%

Seismic Slice at Depth 25



SeisSense™ 5D Navigation:

- ☐ Data Input
- ☐ 5D Interpolation
- ☐ Fault Detection
- ☐ Salt Segmentation
- ☐ Reservoir Prediction
- ☐ Denoising
- ☐ Super-Resolution
- ☐ Visualization
- ☐ Fault Classification
- ☐ Lithology Prediction
- ☒ Velocity Model Estimation
- ☐ Anisotropy Analysis
- ☐ 4D Seismic Time-Lapse Analysis
- ☐ Seismic Inversion
- ☐ Seismic Attribute Analysis
- ☐ Seismic Facies Classification
- ☐ Well Tie & Synthetic Seismogram
- ☐ Seismic Geobody Detection
- ☐ Seismic Well Correlation & Multi-Well Analysis
- ☐ Seismic Reservoir Simulation

SeisSense™ 5D - Seismic Intelligence in 5 Dimensions


AI-Powered Velocity Model Estimation

Select Depth Slice for Velocity Estimation



Estimate Velocity Model

Velocity Model at Depth 25



SeisSense™ 5D Navigation:

- ☐ Data Input
- ☐ 5D Interpolation
- ☐ Fault Detection
- ☐ Salt Segmentation
- ☐ Reservoir Prediction
- ☐ Denoising
- ☐ Super-Resolution
- ☐ Visualization
- ☐ Fault Classification
- ☐ Lithology Prediction
- ☐ Velocity Model Estimation
- ☒ Anisotropy Analysis
- ☐ 4D Seismic Time-Lapse Analysis
- ☐ Seismic Inversion
- ☐ Seismic Attribute Analysis
- ☐ Seismic Facies Classification
- ☐ Well Tie & Synthetic Seismogram
- ☐ Seismic Geobody Detection
- ☐ Seismic Well Correlation & Multi-Well Analysis
- ☐ Seismic Reservoir Simulation



SeisSense™ 5D - Seismic Intelligence in 5 Dimensions



Seismic Anisotropy Analysis

Select Depth Slice for Anisotropy Analysis




Analyze Anisotropy



Anisotropy Map at Depth 25

Anisotropy Analysis for Depth Slice 25




SeisSense™ 5D Navigation:

- ☐ Data Input
- ☐ 5D Interpolation
- ☐ Fault Detection
- ☐ Salt Segmentation
- ☐ Reservoir Prediction
- ☐ Denoising
- ☐ Super-Resolution
- ☐ Visualization
- ☐ Fault Classification
- ☐ Lithology Prediction
- ☐ Velocity Model Estimation
- ☐ Anisotropy Analysis
- ☒ 4D Seismic Time-Lapse Analysis
- ☐ Seismic Inversion
- ☐ Seismic Attribute Analysis
- ☐ Seismic Facies Classification
- ☐ Well Tie & Synthetic Seismogram
- ☐ Seismic Geobody Detection
- ☐ Seismic Well Correlation & Multi-Well Analysis
- ☐ Seismic Reservoir Simulation

 Time-Lapse Confidence at Depth 25

Prediction Confidence Levels at Depth 25



SeisSense™ 5D Navigation:

- ☐ Data Input
- ☐ 5D Interpolation
- ☐ Fault Detection
- ☐ Salt Segmentation
- ☐ Reservoir Prediction
- ☐ Denoising
- ☐ Super-Resolution
- ☐ Visualization
- ☐ Fault Classification
- ☐ Lithology Prediction
- ☐ Velocity Model Estimation
- ☐ Anisotropy Analysis
- ☐ 4D Seismic Time-Lapse Analysis
- ☒ Seismic Inversion
- ☐ Seismic Attribute Analysis
- ☐ Seismic Facies Classification
- ☐ Well Tie & Synthetic Seismogram
- ☐ Seismic Geobody Detection
- ☐ Seismic Well Correlation & Multi-Well Analysis
- ☐ Seismic Reservoir Simulation

AI-Powered Seismic Inversion

Select Depth Slice for Seismic Inversion




Select Elastic Property to Invert

P-wave Velocity

Run Seismic Inversion

Inverted P-wave Velocity at Depth 25



SeisSense™ 5D Navigation:

- ☐ Data Input
- ☐ 5D Interpolation
- ☐ Fault Detection
- ☐ Salt Segmentation
- ☐ Reservoir Prediction
- ☒ Denoising
- ☐ Super-Resolution
- ☐ Visualization
- ☐ Fault Classification
- ☐ Lithology Prediction
- ☐ Velocity Model Estimation
- ☐ Anisotropy Analysis
- ☐ 4D Seismic Time-Lapse Analysis
- ☐ Seismic Inversion
- ☐ Seismic Attribute Analysis
- ☐ Seismic Facies Classification
- ☐ Well Tie & Synthetic Seismogram
- ☐ Seismic Geobody Detection
- ☐ Seismic Well Correlation & Multi-Well Analysis
- ☐ Seismic Reservoir Simulation




SeisSense™ 5D - Seismic Intelligence in 5 Dimensions



Seismic Noise Reduction

Autoencoder Settings

Denoising Strength



Architecture

Vanilla AE

Denoise Volume


Denoising complete!

Denoising Results


Slice #



Original



Denoised



SeisSense™ 5D Navigation:

- ☐ Data Input
- ☐ 5D Interpolation
- ☐ Fault Detection
- ☒ Salt Segmentation
- ☐ Reservoir Prediction
- ☐ Denoising
- ☐ Super-Resolution
- ☐ Visualization
- ☐ Fault Classification
- ☐ Lithology Prediction
- ☐ Velocity Model Estimation
- ☐ Anisotropy Analysis
- ☐ 4D Seismic Time-Lapse Analysis
- ☐ Seismic Inversion
- ☐ Seismic Attribute Analysis
- ☐ Seismic Facies Classification
- ☐ Well Tie & Synthetic Seismogram
- ☐ Seismic Geobody Detection
- ☐ Seismic Well Correlation & Multi-Well Analysis
- ☐ Seismic Reservoir Simulation



SeisSense™ 5D - Seismic Intelligence in 5 Dimensions



Salt Body Segmentation

UNet Parameters

Salt Threshold



☒ Apply Morphological Cleaning

Segment Salt

Salt segmentation complete!

Salt Body Visualization


Display Mode

- ☒ Overlay
- ☐ Mask Only

Depth Slice




Salt Body Segmentation



SeisSense™ 5D Navigation:

- ☐ Data Input
- ☐ 5D Interpolation
- ☐ Fault Detection
- ☐ Salt Segmentation
- ☐ Reservoir Prediction
- ☐ Denoising
- ☐ Super-Resolution
- ☐ Visualization
- ☐ Fault Classification
- ☐ Lithology Prediction
- ☐ Velocity Model Estimation
- ☐ Anisotropy Analysis
- ☐ 4D Seismic Time-Lapse Analysis
- ☐ Seismic Inversion
- ☐ Seismic Attribute Analysis
- ☒ Well Tie & Synthetic Seismogram
- ☐ Seismic Geobody Detection
- ☐ Seismic Well Correlation & Multi-Well Analysis
- ☐ Seismic Reservoir Simulation

 Synthetic Seismogram



SeisSense™ 5D Navigation:

- ☐ Data Input
- ☐ 5D Interpolation
- ☐ Fault Detection
- ☐ Salt Segmentation
- ☐ Reservoir Prediction
- ☐ Denoising
- ☐ Super-Resolution
- ☐ Visualization
- ☐ Fault Classification
- ☐ Lithology Prediction
- ☐ Velocity Model Estimation
- ☐ Anisotropy Analysis
- ☐ 4D Seismic Time-Lapse Analysis
- ☐ Seismic Inversion
- ☐ Seismic Attribute Analysis
- ☐ Seismic Facies Classification
- ☐ Well Tie & Synthetic Seismogram
- ☒ Seismic Well Correlation & Multi-Well Analysis
- ☐ Seismic Reservoir Simulation

AI-Powered Seismic Well Correlation & Multi-Well Analysis

No well log data found. Please upload multiple well log files.

Simulate Multi-Well Data

Simulated multiple well log data added!


Select Wells for Correlation

Well A x

Well B x




Well Correlation Plot



SeisSense™ 5D Navigation:

- ☐ Data Input
- ☐ 5D Interpolation
- ☐ Fault Detection
- ☐ Salt Segmentation
- ☐ Reservoir Prediction
- ☐ Denoising
- ☐ Super-Resolution
- ☐ Visualization
- ☐ Fault Classification
- ☐ Lithology Prediction
- ☐ Velocity Model Estimation
- ☐ Anisotropy Analysis
- ☐ 4D Seismic Time-Lapse Analysis
- ☐ Seismic Inversion
- ☐ Seismic Attribute Analysis
- ☐ Seismic Facies Classification
- ☐ Well Tie & Synthetic Seismogram
- ☐ Seismic Geobody Detection
- ☐ Seismic Well Correlation & Multi-Well Analysis
- ☒ Seismic Reservoir Simulation

 Reservoir Property Profiles



SeisSense™ 5D - How different from traditional 5D?

Feature	Traditional 5D Interpolation	SeisSense™ 5D - AI Enhanced
Data Handling	Manual seismic data merging & alignment	AI-driven automated SEG-Y merging & QC
Interpolation Accuracy	Uses Fourier-based interpolation	Deep learning & tensor-based 5D interpolation for superior accuracy
Fault Detection	Manual interpretation & edge detection	AI-powered fault detection & classification
Lithology Prediction	Relies on geologist interpretation	AI-based lithology & facies classification
Reservoir Property Estimation	Requires additional well-log analysis	Predicts porosity, permeability, and fluid content directly from seismic
Data Processing Speed	Time-consuming manual processing	40% faster with automated AI workflows
Visualization	Basic 2D/3D visualization	Advanced 3D seismic volume rendering & AI-assisted interpretation
Scalability	Limited to predefined grid sizes	Handles large-scale seismic datasets seamlessly
Integration with Existing Platforms	Requires manual adjustments	Plug & Play with Petrel, OpendTect, DecisionSpace

Deployment & Integration

Deployment Options:

Cloud-based AI Processing.
On-premise HPC Integration.
Hybrid AI Model Deployment.



Integration Capabilities:

Connects with Petrel, OpendTect, DecisionSpace.
Supports SEG-Y, LAS, and other geophysical formats.
Custom APIs for seamless data ingestion.

Why Choose SeisSense™ 5D ?

AI-Driven Efficiency: Automates and accelerates seismic interpretation.

High-Resolution Insights: Enhances subsurface clarity with super-resolution techniques.

Data Integration & Scalability: Seamlessly merges and analyses large SEG-Y datasets.

Advanced Machine Learning Models: Improves accuracy in fault detection, lithology prediction, and geobody segmentation.

Industry-Ready Deployment: Flexible integration with geophysical software (Petrel, OpendTect, DecisionSpace).

Proven Impact: Reduces seismic processing time by **40%**, enhances interpretation accuracy by **30%**, and optimizes well placement decisions.

greenoj

smart & sustainable solutions



INDIA | NIGERIA | US

At Greenoj, we are leading the next wave of **Industrial AI**, **Agentic AI**, & **Generative AI**, transforming industries with autonomous, intelligent, and scalable AI-driven solutions.

THANK YOU



sales@greenoj.com



[Greenoj Consulting Private Ltd](#)